

| | Hits | Search Text | DBs |
|----------|-------------|---|--|
| 1 | 0 | (375/132, 375/219, 375/220, 375/133, 375/134).ccls. and (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj traffic adj freq\$10) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 0 | (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj traffic adj freq\$10) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 0 | (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj (traffic adj freq\$10)) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 0 | (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj (traffic adj freq\$10)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 1 | (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 or select\$5) adj (traffic adj freq\$10)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 1 | (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 or select\$5) adj (traffic adj freq\$10)) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|--|--|
| 7 | 15 | ("4144412" "4144496" "4723266" "5357559" "5535423" "5546443" "5548807" "5596333" "5615409" "6011787" "6141566" "6161024" "6167286" "6240290" "6301238").PN. | USPAT |
| 8 | 364 | (control adj (freq\$10 or channel\$5)) and (mobile\$5 and base) and ((assign\$5 or select\$5 or allocat\$5) adj (traffic adj (freq\$10 or channel\$5))) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 26 | (control adj (freq\$10 or channel\$5)) and (mobile\$5 and base) and (((assign\$5 or allocat\$5) and select\$5) adj (traffic adj (freq\$10 or channel\$5))) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 2 | "5208812".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 15 | ("4144412" "4144496" "4723266" "5357559" "5535423" "5546443" "5548807" "5596333" "5615409" "6011787" "6141566" "6161024" "6167286" "6240290" "6301238").PN. | USPAT |

| | Hits | Search Text | DBs |
|----|------|---|--|
| 12 | 23 | (control adj (freq\$10 or channel\$5)) and (mobile\$5 and base) and ((assign\$5 or select\$5 or allocat\$5) adj (traffic adj (freq\$10 or channel\$5))) and gps and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | 8 | (control adj (freq\$10 or channel\$5)) and (mobile\$5 and base) and ((assign\$5 or select\$5 or allocat\$5) adj (traffic adj (freq\$10 or channel\$5))) and (gps with synchron\$10) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | 2 | "6353412".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 15 | 95 | ("5745695" "6563825" "6407999" "6597682" "6658235" "5442681" "5506867" "5974325" H001897 "6459904" "6119012" "6104929" "6292667" "6469998" "6608832" "6711147" "6169900" "6243582" "6249584" "5590175" "5864761" "5878397" "5946630" "5991619" "6085089" H001918 "6148200" "6341220" "6366777" "6400951" "6427073" "6539237" "6542754" "6687243" "6729929" "6735184" "5987137" "6385451" "6628645" "6219557" "6219557" "6320873" "6356759" "6359877" "6359904" "6363252" "6370385" "6389008" "6430163" "6463055").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|--|
| 16 | 95 | ("5745695" "6563825" "6407999" "6597682" "6658235" "5442681" "5506867" "5974325" H001897 "6459904" "6119012" "6104929" "6292667" "6469998" "6608832" "6711147" "6169900" "6243582" "6249584" "5590175" "5864761" "5878397" "5946630" "5991619" "6085089" H001918 "6148200" "6341220" "6366777" "6400951" "6427073" "6539237" "6542754" "6687243" "6729929" "6735184" "5987137" "6385451" "6628645" "6219557" "6219557" "6320873" "6356759" "6359877" "6359904" "6363252" "6370385" "6389008" "6430163" "6463055").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 17 | 49 | ("5745695" "6563825" "6407999" "6597682" "6658235" "5442681" "5506867" "5974325" H001897 "6459904" "6119012" "6104929" "6292667" "6469998" "6608832" "6711147" "6169900" "6243582" "6249584" "5590175" "5864761" "5878397" "5946630" "5991619" "6085089" H001918 "6148200" "6341220" "6366777" "6400951" "6427073" "6539237" "6542754" "6687243" "6729929" "6735184" "5987137" "6385451" "6628645" "6219557" "6219557" "6320873" "6356759" "6359877" "6359904" "6363252" "6370385" "6389008" "6430163" "6463055").pn. | USPAT |

| | Hits | Search Text | DBs |
|-----------|-------------|--|--|
| 18 | 2 | "6366622".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 19 | 1 | "6366622".pn. and (transmi\$10 with hop\$10 with seq\$10) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 25 | (transmi\$10 with hop\$10 with seq\$10 with (control adj (channel or frequency))) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | 0 | (375/132, 375/219, 375/220, 375/133, 375/134).ccls. and (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj traffic adj freq\$10) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | 0 | (375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/422.1, 455/12.1, 455/13.1, 455/13.2).ccls. and (control adj freq\$10) and (mobile\$5 and base) and ((assign\$5 and select\$5) adj traffic adj freq\$10) and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|--|--|
| 23 | 89 | (375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/422.1, 455/12.1, 455/13.1, 455/13.2).ccls. and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | 26 | (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 25 | 9 | (375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/422.1, 455/12.1, 455/13.1, 455/13.2).ccls. and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | 9 | (375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/422.1, 455/12.1, 455/13.1, 455/13.2).ccls. and control and traffic and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|---|--|
| 27 | 1 | (375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/422.1, 455/12.1, 455/13.1, 455/13.2).ccls. and (control near2 (channel\$5 or frequenc\$5)) with "same" with (traffic near2 (channel\$5 or frequenc\$5)) and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | 1 | (375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/422.1, 455/12.1, 455/13.1, 455/13.2).ccls. and ((control near2 (frequenc\$5 or channel\$5)) with (communicat\$5 or send\$5) with (traffic near2 (informat\$5 or data))) and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | 1 | ((control near2 (frequenc\$5 or channel\$5)) with (communicat\$5 or send\$5) with (traffic near2 (informat\$5 or data))) and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 30 | 2 | "6011786".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|--|--|
| 31 | 0 | (frequency near2 hop\$7) and ((idle near2 time near2 slot\$5) with (chang\$5 near2 frequenc\$5)) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | 2 | ((idle near2 time near2 slot\$5) with (chang\$5 near2 frequenc\$5)) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 33 | 1 | ((idle near2 time near2 slot\$5) near6 (chang\$5 near2 frequenc\$5)) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | 3 | ((idle near2 time near2 slot\$5) same (chang\$5 near2 frequenc\$5)) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | 4 | ((idle or null or empty or nothing) near2 time near2 slot\$5) same (chang\$5 near2 frequenc\$5)) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 36 | 1 | (375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/422.1, 455/12.1, 455/13.1, 455/13.2).cccls. and ((control near2 (frequenc\$5 or channel\$5)) with (communicat\$5 or send\$5) with (traffic near2 (informat\$5 or data))) and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|--|--|
| 37 | 12 | (equival\$7 near2 class\$7 near2 frequenc\$7) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | 2 | ((select\$7 or choos\$7 or pick\$7 or choic\$7) near7 equival\$7 near7 class\$7 near7 frequenc\$7) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | 34 | ((select\$7 or choos\$7 or pick\$7 or choic\$7) near7 equival\$7 near7 (class\$7 or typ\$7 or rang\$7) near7 frequenc\$7) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 40 | 33 | S39 not S37 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 41 | 643 | ((select\$7 or choos\$7 or pick\$7 or choic\$7) near7 (equival\$7 or sam\$3 or simil\$7) near7 (class\$7 or typ\$7 or rang\$7 or group\$7) near7 frequenc\$7) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 42 | 63 | ((select\$7 or choos\$7 or pick\$7 or choic\$7) near2 (equival\$7 or sam\$3 or simil\$7) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) near2 frequenc\$7) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 43 | 29 | ((select\$7 or choos\$7 or pick\$7 or choic\$7) near2 (equival\$7 or sam\$3 or simil\$7) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) near2 frequenc\$7) and random\$7 and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|---|--|
| 44 | 5940 | (select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (class\$7 or typ\$7 or rang\$7 or group\$7) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 45 | 912 | (select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (within or in) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 46 | 40 | (select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (within or in) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) and random\$7 and cell\$7 and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 47 | 2 | ((select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (within or in) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) with random\$7) and cell\$7 and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 48 | 9 | ((select\$7 or choos\$7 or pick\$7 or choic\$7) near2 frequenc\$7 near2 (within or in) near2 (class\$7 or typ\$7 or rang\$7 or group\$7) with random\$7) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|--|
| 49 | 1 | (375/132, 375/219, 375/220, 375/133, 375/134, 370/328, 370/319, 370/344, 370/343, 370/337, 370/347, 455/450, 455/452.1, 455/422.1, 455/12.1, 455/13.1, 455/13.2).ccls. and ((control near2 (frequenc\$5 or channel\$5)) with (communicat\$5 or send\$5) with (traffic near2 (informat\$5 or data))) and (frequency near2 hop\$7) and (idle near2 time near2 slot\$5) and @ad<"20001024" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |